# The European Commission's science and knowledge service

·

Joint Research Centre

**Experimental Measurements of Prompt Fission Neutrons and** γ-rays

F.-J. Hambsch



FIESTA2017 School and Workshop, Santa Fe, NM, Sept. 18 – 22, 2017



### **Table of content**

 $\triangleright$  General aspects of neutron and  $\gamma$ -emission


Prompt neutron measurements

**Prompt**  $\gamma$ -ray measurements




## The fission process

#### prompt neutrons (10<sup>-18</sup> s)





## The fission process





## Fission fragment de-excitation

- $\blacktriangleright$  Excitation energy of the fragments is dissipated through particle emission, here essentially neutrons and  $\gamma$ -rays
- On average 2 4 neutrons are released
- ➤ The exact value depends on the isotope and the excitation energy of the compound nucleus e.g. for <sup>235</sup>U ~2.4)
- The average energy of a neutron in the LS is around 2 MeV
- $\triangleright$  On average 6 − 10  $\gamma$ -rays are emitted too, with a mean total energy release of about 7 − 9 MeV



## Fission fragment de-excitation

- **▶** Observable quantities:
  - $\triangleright$  Spectral characteristics (neutrons and  $\gamma$ -rays)
    - Average multiplicity (/fission)
    - Average total energy (/fission)
    - Average photon energy (/fission)
  - Correlations with fission fragment characteristics
    - $v(A*, TKE), \langle E_{tot} \rangle (A*, TKE),$
  - $\triangleright$  Correlation of prompt  $\gamma$ -ray data with PFN



## How to measure neutrons and $\gamma$ -rays


> Prompt neutron measurements



- Suitable detectors
- ➤ Any material with a high capture cross section for neutrons (H, He, Li, B)
  - He-3 counters
  - Boron (BF<sub>3</sub>) counters
  - Lithium-glass detectors
  - Liquid scintillator detectors (mainly containing H)



#### **Choice of material (large interaction cross section)**



PhD thesis, A. Riego, UPC Barcelona (2016)





Figure 3.30 Neutron cross sections for several isotopes. Data from Garber and Kinsey (1976).

F. Sauli, Gaseous Radiation Detectors, Cambridge U. Press, 2014



- Lithium-glass detectors:
  - **Enriched** in <sup>6</sup>Li: <sup>6</sup>Li(n,t) $\alpha$
  - Exothermic reaction: Q = 4.8 MeV
- > CONs:
  - Relatively low detection efficiency
  - > Bad timing resolution prevents from using longer crystals




European

Commission

PhD thesis, A. Sardet, Université Paris Sud (2015)


#### > Lithium-glass detectors:







- Detectors based on liquid scintillator(s):
  - **▶** Gd loaded scintillation tanks
  - **▶ NE213 equivalent scintillators**






#### **Liquid scintillation tank**


- Pros:
- $\triangleright$  High efficiency ( $4\pi$  geometry)
- Large thermal neutron capture cross section of Gd isotopes
- Release of a high energy gamma cascade
- Cons:
- High toxicity (xylene- or dioxane-based) scintillator
- Low flash point -> highly flammable



# **Liquid scintillation tank** (CEA-Arpajon)


- > 85 % eff for fission neutrons
- Two hemispheres (r=60cm)
- $\triangleright$  950l (C<sub>9</sub>H<sub>12</sub>) with 0.5% Gd
- > 24 phototubes
- ➤ Can be combined with other Detectors (e.g. NE213)







# Liquid scintillation tank (used at PNPI, Gatchina, Russia)

 $4\pi$ -geometry




 $2 \times 2\pi$ - geometry







### Scintillation detectors and photomultipliers






**Source: WWW** 



### > Prompt neutron measurements




$$E_n = (\gamma - 1)m_n c^2 = \left(\frac{1}{\sqrt{1 - \frac{L^2}{\Delta t^2} \frac{1}{c^2}}} - 1\right) m_n c^2$$

- $\rightarrow$  m<sub>n</sub> = 939.56533 MeV/c<sup>2</sup>
- ightharpoonup c = 0.299792458 m/ns
- $\triangleright \Delta t$ : time of flight (TOF)

$$\left(\frac{\sigma_E}{E}\right)^2 = 2\left[\left(\frac{\sigma_L}{L}\right)^2 + \left(\frac{\sigma_{\Delta t}}{\Delta t}\right)^2\right]$$



Measurement with passive sample



- Use of massive targets (several g)
- $\triangleright$  Pulsed neutron beam (usually low beam currents; 1 2  $\mu$ A)
- In general leads to a sufficiently high event rate
- Resolution depends on beam pulse
- Minimum neutron energy depend on incident neutron energy
- Multiple scattering in the sample




> The measurement environment (direct reaction):



- > Limited number of detectors
- Contributions from neutron scattering
- **▶** Simulation by means of MCNP or Geant4




Measurement with an active sample



- $\triangleright$  Continuous neutron beam (high beam currents; > 20  $\mu$ A)
- Allows to measure neutrons below the beam energy
- Allows measuring at different energies with changing particle beam
- Multiple scattering in the detector to be taken care of




> The measurement environment (direct reaction):



- Limited number of detectors
- Contributions from neutron scattering...




- Detectors based on liquid scintillator(s):
  - $\triangleright$  Very fast detectors:  $\sigma_t < 1$  ns
  - $\triangleright$  Neutron  $\gamma$  separation by means of TOF



A. Göök et al., PRC90 (2014) 064611


European Commission

- Detectors based on NE213 liquid scintillator(s):
  - Allow pulse shape discrimination
  - Electrons and recoil protons excite different fluorescent levels
  - Detector signal shows different fall times



PhD thesis, A. Sardet, Université Paris Sud (2015)






PhD thesis, A. Sardet, Université Paris Sud (2015)



### **Detector calibration**


#### $\triangleright$ Response of LS detectors to neutrons and $\gamma$ -rays:



$$\frac{\Delta E}{E} = 1.5 \frac{C_{1/2} - C_{max}}{C_{1/2}}$$

#### **Simulation with GRESP**

$$\frac{\Delta E}{E} = \sqrt{\alpha^2 + \frac{\beta^2}{E} + \left(\frac{\gamma}{E}\right)^2}$$



A. Sardet, et al., NIM A792 (2015) 74
PhD thesis, A. Sardet, Université Paris Sud (2015)



#### **Detector calibration**

#### $\triangleright$ Selection of $\gamma$ -rays sources for calibration

Source	$E_{\gamma}$ [keV]	$E_{ee}$ [keV]	Type	Résolution B1 [%]
$^{133}$ Ba	81	81	FE	$59,98 \pm 0,2$
$^{133}$ Ba	356	207	CE	$29,27 \pm 3,2$
$^{22}Na$	511	340,7	CE	$20.7 \pm 2.3$
$^{207}\mathrm{Bi}$	569	393,3	CE	$20,2 \pm 2,0$
$^{137}\mathrm{Cs}$	662	477,65	CE	$18,2 \pm 1,6$
$^{207}\mathrm{Bi}$	1063	857,7	CE	$14.8 \pm 0.9$
$^{22}Na$	1275	1 061,7	CE	$12,8 \pm 0,7$
$^{207}\mathrm{Bi}$	1770	1 546,9	CE	$10.0 \pm 0.6$
AmBe	4 430	4 196	CE	$8,5 \pm 0,4$
$\mathrm{Pu^{13}C}$	6 130	5 883	CE	$7,8 \pm 0,3$

➤ Use of mono-energetic neutron beams for calibration CE: Compton Edge


FE: Photo peak

PhD thesis, A. Sardet, Université Paris Sud (2015)




#### **Detector calibration**

**>** Response of LS detectors to neutrons and  $\gamma$ -rays:



- Response for mono-energetic neutrons
- Selection from the TOF information
- Calibrated neutron beam


A. Sardet, et al., NIM A792 (2015) 74
PhD thesis, A. Sardet, Université Paris Sud (2015)






## **Efficiency curve**

#### **>** Response of LS detectors to neutrons and $\gamma$ -rays:







#### > And finally: a prompt fission neutron spectrum



#### Energy dependence of PFN emission






**Boikov et al., EXFOR: 41110** 

A. Tudora et al. et al., ANE 35 (2008) 1131




> Prompt neutron measurements



center of mass frame

To extract physics






**laboratory frame** 

What you measure, relevant for application




> And for extracting physics, remember this:



**Transformation from the LS to CMS** 




- > Emission of neutrons from fully accelerated fragments
  - Obtain basic kinematic information in laboratory-frame
  - Reconstruct emission process in fission fragment restframe




**>** Unbiased selection of events:  $\cos\theta_{CM}$  ≥ 0




➤ The angle between the fission axis and the neutron vector is needed:







- ✓ Array of 22 neutron detectors
  - ✓ SCIONIX LS301 (different sizes)
  - ✓ P-Therphenyl (Φ=8.5 cm, h=6.8 cm)
- ✓ Double Frisch-grid (θ, φ) sensitive IC



SCINTIA array (JRC-Geel)

#### **Fission fragment detector**

#### **Twin Ionization Chamber**


- Energies and Masses of fission fragments
- ✓ Large Geometrical Efficiency
- ✓ Timing resolution ~1 ns (FWHM)
- Polar angle θ of fission axis relative to the chamber axis

#### **Position Sensitive Electrodes**

- Replaces anodes
  - wire plane + strip anode

Projection of fission-axis on the electrode – plane


✓ Fission axis orientation in 3D





#### How to measure neutrons

Azimuthal angle of fission axis around chamber symmetry axis is determined from charge division read-out of position anodes



Difference in x-coordinates and y-coordinates of the Bragg-peak for the fission fragments detected on the opposite chamber sides.





A. Göök et al., NIMA 830 (2016) 366



#### **Motivation**

#### **PFN** multiplicity correlations with fragment observables





#### **Based on energy balance in fission**

- Detailed modelling (CGMF, Fifrelin, Freya...)
  - successfully reproducing correlations
  - in the case <sup>235</sup>U(n,f)
    - » difficulties: in particular v(TKE)

#### Lemaire et al. (2005)


"...a dramatic deviation between calculation and experiment on  $\nu$  is observed at low TKE that would indicate the presence of additional opened channels"


#### Kornilov et al. (2007)

"The incorporation of the SCN emission leads to a much better agreement between theoretical and experimental data for v(TKE) in the high energy range. However, the assumption of SCN emission at high TKE should be confirmed with direct experimental data"



# **Validation of method <sup>252</sup>Cf(sf)**







- Results show consistency with literature data
- Specifically with methods that do not suffer from neutron energy detection threshold
  - + (Dushin et al.) Gd-loaded  $4\pi$  scintillator tank



#### Multiplicity vs. Fragment Mass





#### **Neutrons per fragment**

Saw-tooth distribution

Shoulders around  $A_1 = 100$  and  $A_H = 140$ 

Pronounced minima around  $A_L=80$  and  $A_H=130$ 

#### **Neutrons per fission**


Flat distribution

Pronounced minimum around  $A_H=132$ 

 $E_n \in [0.3 \text{ eV}, 60 \text{ keV}]$ 



#### **Multiplicity vs. Fragment TKE**



# Close to linear dependence

$$-\frac{\mathrm{dTKE}}{\mathrm{d}\overline{v}_{\scriptscriptstyle T}} = 12.0~\mathrm{MeV/n}$$


# The slope is much steeper than earlier studies

$$-\frac{\mathrm{dTKE}}{\mathrm{d}\overline{v}_{\scriptscriptstyle T}} = 16.7 - 18.5 \,\mathrm{MeV/n}$$

The difference cannot be explained by difference in incident neutron energy

European Commission

#### Multiplicity vs. Fragment TKE




- Wide TKE-distributions
- Significant Yield at TKE>Q<sub>max</sub>
- ⇒ Resolution broadening
- Decreased slope
- Increased neutron yield at Q<sub>max</sub>

#### **Tailing of TKE distribution**

- Energy degraded scattered fission fragments
- Neutron yield should approach average nubar
- Drop in nubar at low TKE
- Present also in our data



#### How to measure neutrons



- ✓ Array of 54 neutron detectors
- ✓ Multi plate IC
- ✓ Measure PFNS as a fct of E<sub>n</sub>


Chi-nu array (LANL)



# How to measure neutrons and $\gamma$ -rays

 $\triangleright$  Prompt  $\gamma$ -ray measurements









- $\triangleright$  Separation of  $\gamma$ -rays from prompt neutrons
  - Time-of-flight method
  - Excellent timing resolution of the combined  $\gamma$ ray and fission detector
  - Determines the geometrical efficiency of your instrument
- Best possible energy resolution



Fission detectors: FGIC, Si-detectors, single-crystal diamond detectors ( $\sigma_t$  < 100 ps)

- $\triangleright$  Choice of suitable  $\gamma$ -ray detectors:
  - High purity germanium detectors
  - ✓ Excellent energy resolution, bad timing resolution
  - Fragments moving  $\rightarrow$  Doppler broadened  $\gamma$ -peak
  - Very neutron sensitive



- **Choice of suitable**  $\gamma$ -ray detectors:
  - High purity germanium detectors
  - ✓ Excellent energy resolution, bad timing resolution
  - Fragments moving  $\rightarrow$  Doppler broadened  $\gamma$ -peak
  - Very neutron sensitive
  - Scintillation detectors
  - Limited energy resolution, worse peak-to-total
  - ✓ In general much better timing resolution
  - ✓ Higher efficiency, larger sizes available



> Scintillation detectors:

In the 1970s sodium iodine (NaI) was used

- ✓ Timing resolution of the order of 5 7 ns
- ✓ Energy resolution 7% @ 662 keV
- **✓** TOF distance 1m or larger
- Limited geometrical efficiency


Nowadays we have to cope with limited resources in terms of beam time, staff...


**Need of a more compact, efficient set-up!** 



> Lanthanide halide detectors:

> Intrinsic activity





13 days measured in HADES


R. Billnert et al. NIMA 647 (2011) 94

P. Guss et al. NIMA 608 (2009) 297

- > Lanthanide halide detectors:
  - **▶** CeBr₃ detector





Detector Response, Nitrogen Region y-rays from <sup>14</sup>N(n,n')



#### Lanthanide halide detectors:


- Cerium-doped lanthanum chloride (LaCl<sub>3</sub>:Ce)
- Cerium-doped lanthanum bromide (LaBr<sub>3</sub>:Ce)
- Cerium bromide (CeBr<sub>3</sub>)
- (BGO: Bismuth Germanium Oxide)






Photons in coincidence with fission fragments






Photons in coincidence with fission fragments










Red: PFGS, Green: Isomer decay, inelastic scattering, Blue: intrinsic bgrd




#### $\triangleright$ Detector response to different $\gamma$ -ray energies




Simulated spectrum for 1 MeV photons hitting a 51 mm × 51 mm LaBr<sub>3</sub>:Ce detector


Simulated spectrum for 3 MeV photons hitting a 51 mm  $\times$  51 mm LaBr<sub>3</sub>:Ce detector



Optimized response function simulations to better reproduce energy range around the backscatter peak



#### Unfolding the detector response




Measured  $^{252}$ Cf(SF) prompt fission  $\gamma$ -ray energy spectrum

→ e.g. zooming into region around 3 MeV




#### Unfolding the detector response



Simulating response function for mono-energetic  $\gamma$ -rays, distance: FWHM from energy resolution measurements




#### Unfolding the detector response



Adjusting simulated spectra to measured  $\gamma$ -ray spectrum and determining the scaling factors




#### Unfolding the detector response




R. Billnert, et al., Phys. Rev. C87, 024601 (2013)


#### > Unfolded emission spectrum



Commission

R. Billnert, et al., Phys. Rev. C87, 024601 (2013)





Situation as published in PRC87(R)

$$M_{\gamma} = (8.19 \pm 0.11) / fission$$
  
 $E_{\gamma tot} = (6.92 \pm 0.09) MeV / fission$ 

#### Situation after re-measuring at the GELINA neutron TOF facility

**New detector response calculations!** 

$$✓$$
 M<sub>γ</sub> = (7.4 ± 0.2) / fission


✓ 
$$M_{\gamma} = (7.4 \pm 0.2)$$
 / fission  
✓  $E_{\gamma tot} = (6.4 \pm 0.2)$  MeV / fission

This work Oberstedt 2013 Verbinski 1973 Photons (/(MeV fission)) Regnier 2013 (FIFRELIN) 0.1 -0.01 0.5 0.0 Energy (MeV)


European

Commission

✓ Decrease of 10% and 8% compared to PRC87(R)!








 $2+ \rightarrow 0+$  and  $4+ \rightarrow 2+$  transitions of abundant FF are resolved


European Commission

Use of combination of LaBr<sub>3</sub> and HPGe

S. Urlass, Presentation THEORY-4, Varna, 20-22 June 2017


- Other devices
  - $\triangleright$  DANCE (LANL),  $4\pi$  array BaF<sub>2</sub> detector array)







M. Jandel, GAMMA-2 Workshop, Sremski Karlovci, RS



#### Literature

In addition to the ones mentioned during the lecture:

- > "The Nuclear Fission Process", C. Wageman (ed.), CRC Press (1991), ISBN 0-8493-5434-X
- ► H.J. Krappe, K. Pomorski, Lecture Notes in Physics 838, Springer (2012), ISBN 978-3-642-23514-6
- Fission Neutrons", N. Kornilov, Springer (2015), ISBN 978-3-319-07132-9
- ▶ "Practical Gamma-ray spectroscopy", 2<sup>nd</sup> edition, G. Gilmore, Wiley (2008), ISBN 978-0-470-86196-7
- H. Nifenecker, C. Signarbieux, R. Babinet, J. Poitou, Phys. and Chem. of Fission 1973, Vol. II, Proc. of a Symp., Rochester, New York, 13 - 17 August 1973, IAEA, Vienna, STI/PUB/347 (1974) 117
- > R. Capote et al, Nucl. Dt. Sheets 131 (2016) 1
- C. Budtz-Jorgensen and H.-H. Knitter, Nucl. Phys. A490, 307 (1988)
- F.-J. Hambsch, H. H. Knitter, C. Budtz-Jørgensen, and J. P. Theobald, Nucl. Phys. A491, 56 (1989)
- F.-J. Hambsch, I. Ruskov, and L. Dematte, in Proc. Scientific Workshop on Nuclear Fission Dynamics and the Emission of Prompt Neutrons and Gamma Rays (Theory-1), EUR 24802 (Sinaia, Romania, 2011) 41
- N.V. Kornilov, I. Fabry, S. Oberstedt, F.-J. Hambsch, NIM A599 (2009) 226
- N. V. Kornilov et al., Nucl. Sci. Eng. 165, 117 (2010)
- R. E. Howe, T. W. Phillips, and C. D. Bowman, Phys. Rev. C13, 195 (1976)
- A. Al-Adili, F.-J. Hambsch, S. Pomp, and S. Oberstedt, Phys. Rev. C86, 054601 (2012)
- V. Dushin et al., Nucl. Instrum. Methods Phys. Res., Sect. A516, 539 (2004)
- R. Walsh and J. Boldeman, Nucl. Phys. A276, 189 (1977)
- V. Zakharova and D. Ryazanov, Sov. J. Nucl. Phys. 30, 19 (1979)
- C. Signarbieux, J. Poitou, M. Ribarg, and J. Matuszek, Phys. Lett. B39, 503 (1972)
- > ...... And many more



# Thank you very much for Your attention

